

# FABER

AIR MATTERS

#Ihavequitsmokinginthekitchen

- Hoods/ Chimneys • Built-in Ovens • Built-in Microwave Ovens • Cooking Ranges
- Dishwashers • Built-in Hobs • Hob Cooktop Hybrids • Cooktops • RO Water Purifiers

PRESENTING

## FABER AEROSTATION

It's a Chimney.  
It's a Fan.  
It's an Air Purifier.

*LOVE COOKING.  
LOVE THE KITCHEN.*

Product Range Brochure: 2019

# AEROSTATION HOODS

## World's only 3-in-1 Chimney with AEROSTATION Technology.



With growing air pollution & increases in the risk of health hazards, it is important to use something which keeps you and your loved one healthy & your's kitchen pollution free.

Faber introduces the world's only 3-in-1 Aerosation Chimney which offers the functionality of 3 appliances in 1 appliance. This appliance combines the functionality of a chimney, a fan and an air purifier.

This hood comes in exciting new finishes including Alligator Black, Antique Silver, Shiny Black, Antique Copper & Neocraft Grey.

### About FABER:

FFIL is India's leading kitchen appliances manufacturer with Swiss and Italian parentage for "Franke" and "Faber" brands respectively. Franke Faber India Limited is part of 2.5 billion USD Franke Artemis Group. Franke Artemis Group has business interests in Kitchen Systems, Food Service, Coffee Systems, Beverage Systems & Washroom Systems and is present in over 70 countries.



## 3-in-1 AeroStation AIR PURIFIER FILTER




**NYLON FILTER:**  
Remove particles, such as dust and dirt, from the air.

**CARBON FILTER:**  
A carbon filter to trap the Odors, Gases and neutralizes them.

**HEPA FILTER:**  
1 Micron filter HEPA traps harmful particles from the air such as Dust, Smoke, Pollen, etc., and gives efficiency upto 95%

## Hood with Fan and AIR PURIFICATION Technology



## 3-IN-1 AEROSTATION HOODS

### Glamour FT AB/AS/AC/SB/NCG LTW 60/90



Available Finish:


Alligator Black (AB)

Antique Silver (AS)

Antique Copper (AC)

Shiny Black (SB)

Neocraft Grey (NCG)



#### Hood Specifications:

- Width: 60/90 cm
- Controls: Premium Backlit Soft Touch panel
- Speed: 3 + Intensive
- Filter: 3 Layer Baffle
- Suction: 1000m3/hr
- Lamp: LED 2\*1.5 watt

#### Aerostation Fan Specifications:

- Control: Premium Backlit Soft Touch panel
- Motor: 3 speed

#### Purifier Specification:

- Nylon Filter:  
Remove particles such as dust and dirt from the air.
- Carbon Filter:  
Traps Odour, Gases and Neutralise them.
- HEPA 1.0 PM Filter:  
Removes Dust, Smoke particles upto size of 1 Micron.

### Spark FT AB/AS/AC/SB/NCG LTW 60/90



Available Finish:


Alligator Black (AB)

Antique Silver (AS)

Antique Copper (AC)

Shiny Black (SB)

Neocraft Grey (NCG)



#### Hood Specifications:

- Width: 60/90 cm
- Controls: Premium Backlit Soft Touch panel
- Speed: 3 + Intensive
- Filter: 3 Layer Baffle
- Suction: 1000m3/hr
- Lamp: LED 2\*1.5 watt


#### Aerostation Fan Specifications:

- Control: Premium Backlit Soft Touch panel
- Motor: 3 speed

#### Purifier Specification:

- Nylon Filter:  
Remove particles such as dust and dirt from the air.
- Carbon Filter:  
Traps Odour, Gases and Neutralise them.
- HEPA 1.0 PM Filter:  
Removes Dust, Smoke particles upto size of 1 Micron.

### Sparkle TC AB/AS/AC/SB/NCG LTW 90



Available Finish:


Alligator Black (AB)

Antique Silver (AS)

Antique Copper (AC)

Shiny Black (SB)

Neocraft Grey (NCG)



#### Hood Specifications:

- Width: 90cm
- Controls: Touch
- Speed: 3 + Intensive
- Filter: 3 Layer Baffle
- Suction: 1000m3/hr
- Lamp: LED 2\*1.5 watt

#### Aerostation Fan Specifications:

- Control: Touch
- Motor: 3 speed

#### Purifier Specification:

- Nylon Filter:  
Remove particles such as dust and dirt from the air.
- Carbon Filter:  
Traps Odour, Gases and Neutralise them
- HEPA 1.0 PM Filter:  
Removes Dust, Smoke particles upto size of 1 Micron.

## ITALIAN COLLECTION HOODS



### Sky Lift

- Width - 90 cm
- Finish- SS and White Glass
- Suction - 1000m<sup>3</sup>/hr
- Remote Control
- 4 LED Lamps



### Nest Plus

- Width - 86 cm
- Finish-Glass and SS
- Suction - 1000 m<sup>3</sup>/hr
- Remote Control
- 4\*20 W Spotlights



### Pareo Plus

- Width - 50 cm
- Finish-Tibetan Silver
- Suction - 1000 m<sup>3</sup>/hr
- Remote Control
- 4 LED Lights



### Bios Eg6 RD/XS F32

- Width - 32 cm
- Finish-Ruby Red
- Suction - 1000 m<sup>3</sup>/hr
- Soft Touch with Backlight
- 2 LED Lights



### Talika OC A80

- Width - 80 cm
- Finish-Old Copper
- Suction -1000 m<sup>3</sup>/hr
- Square Touch Control
- 2 LED Lights



### Talika DGM A80

- Width - 80 cm
- Finish-Dark Grey Matt
- Suction -1000 m<sup>3</sup>/hr
- Square Touch Control
- 2 LED Lights

Note: Italian Collection hood filters are safe to clean in Dishwashers.

## ITALIAN COLLECTION HOODS



### Jolie Copper

- Width - 80 cm
- Finish-Copper
- Suction -1000m<sup>3</sup>/hr
- Push Button Control
- 2 LED Lights




### Jolie Silver

- Width - 80 cm
- Finish-Silver
- Suction -1000m<sup>3</sup>/hr
- Push Button Control
- 2 LED Lights



### Chloe' EVO+ OC A70

- Width - 70 cm
- Finish-Old Copper
- Suction - 1000 m<sup>3</sup>/hr
- Push Button Control
- 1 LED Light



### Chloe' XL CIA110

- Width - 110 cm
- Finish- Cast Iron
- Suction - 1000 m<sup>3</sup>/hr
- Push Button Control
- 1 LED Light



### Veil Tibetain Silver

- Width - 90 cm
- Finish-Tibetain Silver
- Suction - 1000 m<sup>3</sup>/hr
- Push Button Control
- 2 LED Lights



### Incline

- Width - 90 cm
- Finish-SS and Mirror
- Suction - 1000 m<sup>3</sup>/hr
- Soft Touch with Backlight
- 2x20 W Spotlight Lamp


Note: Italian Collection hood filters are safe to clean in Dishwashers.

## FILTERLESS HOODS

FABER is back with its new concept of Chimney without filter which is a low maintenance product as there is no need of regular cleaning. The "Filter Less Hood" has the quality of making less noise, which removes the scope of disturbance while cooking. Faber provides filter less hood with various elegant designs, which allows you to choose according to your already established décor. Also this product has better suction efficiency as compared to regular hoods available in the market and comes with a Black duct cover.

These Filter Less Hood is made up of Black Tempered Glass which gives your hood better strength than the ordinary glass. It has Metal Blower, operating cost of blower is low and it also provides with clean air and has no danger of oil droplets or residue.

### NO MORE FILTER CLEANING




SS Oil Collector



Non Stick Rotor



High Suction Power



3 Speed gesture control



Auto Glass Up-down function  
with Anti - Squeeze Feature

## FILTERLESS HOODS



### Vertex FL TC BK 90

Width: 90 cm, Switch: 3 Speed gesture control  
Suction: 1500m<sup>3</sup>/h, Filter type: Filterless  
Auto Clean: Heat Auto clean, Blower: Metal Blower,  
Lamp: LED 2\*1.5W, Oil Collector: S/S  
Panel Material: Black Tempered Glass & S/S 430



### Vertex FL TC BK 60

Width: 60 cm, Switch: 3 Speed gesture control  
Suction: 1200m<sup>3</sup>/h, Filter type: Filterless  
Auto Clean: Heat Auto clean, Blower: Metal Blower,  
Lamp: LED 2\*1.5W, Oil Collector: S/S  
Panel Material: Black Tempered Glass & S/S 430



### Zenith FL SC BK 90/60

Width: 90/60 cm, Switch: 3 Speed gesture control  
Suction: 1350m<sup>3</sup>/h, Filter type: Filterless  
Blower: Metal Blower,  
Lamp: LED 2\*1.5W, Oil Collector: S/S  
Panel Material: Black Tempered Glass & S/S 430



### Apex FLHC SC BK 90/60

Width: 90/60 cm, Switch: 3 Speed gesture control  
Suction: 1500m<sup>3</sup>/h, Filter type: Filterless  
Auto Clean: Heat Auto clean, Blower: Metal Blower,  
Lamp: LED 2\*1.5W, Oil Collector: S/S  
Panel Material: Black Tempered Glass & S/S 430



### Jupiter HC SC BK 90/60

Width: 90/60 cm, Switch: 3 Speed gesture control  
Suction: 1350m<sup>3</sup>/h, Filter type: Cone Baffle Filter  
Auto Clean: Heat Auto clean, Blower: Metal Blower,  
Lamp: LED 2\*1.5W, Oil Collector: S/S  
Panel Material: Black Tempered Glass & S/S 430



### Crest HC SC BK 90/60

Width: 90/60 cm, Switch: 3 Speed gesture control  
Suction: 1200m<sup>3</sup>/h, Filter type: Filterless  
Auto Clean: Heat Auto clean, Blower: Metal Blower,  
Lamp: LED 2\*1.5W, Oil Collector: S/S  
Panel Material: Black Tempered Glass & S/S 430

## FILTERLESS HOODS



### Neptune FLHC SC BK 90

Width: 90 cm, Switch: 3 Speed gesture control  
Suction: 1500m<sup>3</sup>/h, Filter type: Filterless  
Auto Clean: Heat Auto clean, Blower: Metal Blower,  
Lamp: LED 2\*1.5W, Oil Collector: S/S  
Panel Material: Black Tempered Glass & S/S 430



### Laurel FL SC 90/60

Width: 90/60 cm, Switch: 3 Speed gesture control  
Suction: 1350m<sup>3</sup>/h Filter type: Filterless  
Blower: Metal Blower,  
Lamp: LED 2\*1.5W, Oil Collector: S/S  
Panel Material: Black Tempered Glass & S/S 430



### Opel FLHC SC BK 60

Width: 60 cm, Switch: 3 Speed gesture control  
Suction: 1350m<sup>3</sup>/h, Filter type: Filterless  
Auto Clean: Heat Auto clean, Blower: Metal Blower,  
Lamp: LED 2\*1.5W, Oil Collector: S/S  
Panel Material: Black Tempered Glass & S/S 430



### Zest HC SC SS 90/60

Width: 90/60 cm, Switch: 3 Speed gesture control  
Suction: 1100m<sup>3</sup>/h, Filter type: 1pc Baffle Filter  
Auto Clean: Heat Auto clean, Blower: Metal Blower,  
Lamp: LED 2\*1.5W, Oil Collector: S/S  
Panel Material: Black Tempered Glass & S/S 430



## TECHNOLOGY



**"I HAVE QUIT SMOKING IN THE KITCHEN."**

### INTRODUCING THE WORLD'S ONLY 3D HOOD WITH T2S2 TECHNOLOGY.

Now, it's easy to cook in a healthier environment. Faber 3D chimneys' T2S2 technology provides **3-way suction** that draws out pollutants such as SO<sub>2</sub>, NO and CO from your kitchen. Join the **#QuitSmokingInTheKitchen** movement today and start cooking in a healthier, smoke-free environment.

**25% Higher Suction Area\* • 15% Better Grease Reduction\* • 10dB(A) Noise Reduction\***



### Technology (Noise Reduction)

#### SIL-K: Technology That Brings You Silence:

The Silence Key (Sil-K) technology brought to you exclusively by FABER in India, makes your kitchen 16 times quieter!

- ❖ Sil-K-xp: Reduces hood sound by 12-dB(A)
- ❖ 16 hoods equipped with Sil-K-xp make the same noise as 1 hood without it
- ❖ Uses aeronautical engineering principles
- ❖ Sound emissions from diffuser and filters are almost eliminated




### Patented 3Layer Baffle Filter Designed For Indian Oily Cooking

**Zero Clogging** - Effective suction and avoids overloading of motor.

**Easy to Clean** - Hassle free maintenance

**Saves Electricity** - Zero clogging ensures efficient suction even at lower speeds.



**Cut and Chop Technology** - Separate oil, water vapour, spices from the smoke and collects them in stainless steel strips to extract odour effectively

**Constructed from Stainless steel** - Filter to last a Lifetime hence no replacement cost.

Ensuring OVER 90% \* efficiency, baffle filters create an impenetrable barrier for grease. With a patented FABER design, these filters have been devised so that vapours have to suddenly chop and change direction, thereby separating the grease particles and making extraction as quiet as possible. The baffle filters are made of STAINLESS STEEL, making them extremely hard-wearing and giving the hood a very professional appearance. In Addition : They are easily cleaned in the dishwasher or washed by hand.

### SOME FEATURE OF FABER HOODS



## ISLAND HOODS




**Stilux Isola Plus LTW 90**

- Width - 90 cm
- Suction - 1000m<sup>3</sup>/hr
- Touch Control
- LED Lamp 4x1.1W



**Stilo Isola Slim Plus DD LTW 90**

- Width - 90 cm
- Suction - 1000 m<sup>3</sup>/hr
- Soft Touch Control
- LED Lamp 4x1.1W



**Glassy Isola Plus LTW 60/90**

- Width - 60/90 cm
- Suction - 1000m<sup>3</sup>/hr
- Push Buttons Control
- CFL Lamp 4x5W




**Arco Isola LTW 90**

- Width - 90 cm
- Suction - 1200 m<sup>3</sup>/hr
- Soft Touch Control
- CFL Lamp 4x5W


## SIL-K HOODS

Smoke & Smell Sensor Technology / Digital Display



**Stilux Sil-K DD Sen LTW 60/90**

- Width - 60/90 cm
- Suction - 1000 m<sup>3</sup>/hr
- Touch Control
- LED Lamp 2x1.1W



**Glassy Sil-K \*\* BKL LTW 60/90**

- Width - 60/90 cm
- Suction - 1000 m<sup>3</sup>/hr
- Soft Touch Backlight Control
- LED Lamp 2x1.1W Optional



**Stilo Sil-K\*\* LTW 90**

- Width - 90 cm
- Suction - 1000 m<sup>3</sup>/hr
- Soft Touch Control
- LED Lamp 2x1.1W



**Arco Sil-K\* BKL LTW 90**

- Width - 90 cm
- Suction - 1000 m<sup>3</sup>/hr
- Soft Touch Backlight Control
- LED Lamp 2x1.1W Optional



## 3D-PLUS HOODS



**Stilo 3D Plus T2S2 Max LTW 90**

- Width - 90 cm
- Suction - 1350 m<sup>3</sup>/hr
- Soft Touch Buttons Control
- LED Lamp 2x1.1W

### Smoke & Smell Sensor Technology



**Stilux 3D Plus T2S2 TC Sen Max LTW 60/90**

- Width - 60/90 cm
- Suction - 1350 m<sup>3</sup>/hr
- Touch Control
- LED Lamp 2x1.1W



**Stilo Slim 3D Plus T2S2 LTW 60/90**

- Width - 60/90 cm
- Suction - 1150 m<sup>3</sup>/hr
- Push Buttons Control
- LED Lamp 2x1.1W



**Stilo Slim 3D Plus T2S2 Bk LTW 60/90**

- Width - 60/90 cm
- Suction - 1150 m<sup>3</sup>/hr
- Push Button Control
- LED Lamp 2x1.1W



**Super 3D Plus T2S2 Bk TC LTW 90**

- Width - 90 cm
- Suction - 1150 m<sup>3</sup>/hr
- Touch Control
- LED Lamp 2x1.1W



**Super 3D Plus T2S2 Bk TC LTW 60**

- Width - 60 cm
- Suction - 1150 m<sup>3</sup>/hr
- Touch Control
- LED Lamp 2x1.1W



**Arco 3D Plus T2S2 Bk LTW 90**

- Width - 90 cm
- Suction - 1150 m<sup>3</sup>/hr
- Push Button Control
- LED Lamp 2x1.1W



**Arco 3D Plus T2S2 Bk LTW 60**

- Width - 60 cm
- Suction - 1150 m<sup>3</sup>/hr
- Push Button Control
- LED Lamp 2x1.1W

## 3D MAX- HOODS



**Stilux 3D T2S2 TC Max LTW 90**

- Width - 90 cm
- Suction - 1295 m<sup>3</sup>/hr
- Touch Control
- LED Lamp 2x1.1W




**Tender 3D T2S2 Max LTW 90**

- Width - 90 cm
- Suction - 1295 m<sup>3</sup>/hr
- Soft Push Button Control
- CFL Lamp 2x5W




**Tender 3D T2S2 Max LTW 60**

- Width - 60 cm
- Suction - 1295 m<sup>3</sup>/hr
- Soft Push Button Control
- CFL Lamp 2x5W




**Arco 3D T2S2 Max LTW 90**

- Width - 90 cm
- Suction - 1295 m<sup>3</sup>/hr
- Soft Push Button Control
- LED Lamp 2x1.1W



**Arco 3D T2S2 Max LTW 60**

- Width - 60 cm
- Suction - 1295 m<sup>3</sup>/hr
- Soft Push Button Control
- LED Lamp 2x1.1W



**Glassy 3D T2S2 Max LTW 60**

- Width - 60 cm
- Suction - 1295 m<sup>3</sup>/hr
- Soft Push Button Control
- LED Lamp 2x1.1W

# Aluminum Mesh Filter

\*Cassette filters

SIL-K\*\* (Silence Key)- Low Noise and Suction is 1000m<sup>3</sup>/hr

### Suction Details for new models

3D Plus-1150m<sup>3</sup>/hr

3D Plus Max-1350m<sup>3</sup>/hr

3D - 1095m<sup>3</sup>/hr

3D Max-1295m<sup>3</sup>/hr

## 3D- HOODS



**Stilux 3D T2S2 TC LTW 60/90**

- Width - 60/90 cm
- Suction - 1095 m<sup>3</sup>/hr
- Touch Control
- LED Lamp 2x1.1W



**Stilux 3D T2S2 BK TC LTW 90/60**

- Width - 60/90 cm
- Suction - 1095 m<sup>3</sup>/hr
- Touch Control
- LED Lamp 2x1.1W



**Cocktail 3D T2S2 BK TC LTW 60/90\***

- Width - 60/90 cm
- Suction - 1095 m<sup>3</sup>/hr
- Touch Control
- LED Lamp 2x1.1W



Smoke & Smell Sensor Technology


**Topaz 3D T2S2 Bk TC LTW 60/90**

- Width - 60/90 cm
- Suction - 1095 m<sup>3</sup>/hr
- Touch Control
- LED Lamp 2x1.1W




**Topaz Smart 3D T2S2 Bk TC LTW 60/90**

- Width - 60/90 cm
- Suction - 1095 m<sup>3</sup>/hr
- Touch Control
- LED Lamp 2x1.1W



**Arco 3D T2S2 LTW 90**

- Width - 90 cm
- Suction - 1095 m<sup>3</sup>/hr
- Push Button Control
- CFL Lamp 2x5W



**Arco 3D T2S2 LTW 60**


- Width - 60 cm
- Suction - 1095 m<sup>3</sup>/hr
- Push Button Control
- CFL Lamp 2x5W



**Tender 3D T2S2 LTW 90/60**

- Width - 90/60 cm
- Suction - 1095 m<sup>3</sup>/hr
- Push Button Control
- CFL Lamp 2x5W

## 3D - HOODS



**Feel 3D T2S2 LTW 90**

- Width - 90 cm
- Suction - 1095 m<sup>3</sup>/hr
- Push Button Control
- LED Lamp 2x1.1W



**Feel 3D T2S2 LTW 60**

- Width - 90 cm
- Suction - 1095 m<sup>3</sup>/hr
- Push Button Control
- LED Lamp 2x1.1W



**Feel 3D T2S2 Bk TC LTW 60/90**

- Width - 60/90 cm
- Suction - 1095 m<sup>3</sup>/hr
- Touch Control
- LED Lamp 2x1.1W




**Feel 3D T2S2 LTW 60**

- Width - 60 cm
- Suction - 1095 m<sup>3</sup>/hr
- Push Button Control
- LED Lamp 2x1.1W




**Topaz 3D T2S2 Bk LTW 60**

- Width - 60 cm
- Suction - 1095 m<sup>3</sup>/hr
- Push Buttons Control
- CFL Lamp 2x5W




**Glassy 3D T2S2 PB Bk LTW 60**

- Width - 60 cm
- Suction - 1095 m<sup>3</sup>/hr
- Push Buttons Control
- CFL Lamp 2x5W



**Glassy 3D T2S2 LTW 90**

- Width - 90 cm
- Suction - 1095 m<sup>3</sup>/hr
- Push Buttons Control
- CFL Lamp 2x5W



**Glassy 3D T2S2 LTW 60/75**

- Width - 60/75 cm
- Suction - 1095 m<sup>3</sup>/hr
- Push Buttons Control
- CFL Lamp 2x5W

## DECORATIVE HOODS



### Curvey Plus TC BK LTW 60/90

- Width - 60/90 cm
- Suction - 1000 m<sup>3</sup>/hr
- Touch Control
- LED Lamp 2 x 1.1W

Optional



### Slim Plus DD LTW 90

- Width - 90 cm
- Suction - 1000 m<sup>3</sup>/hr
- Soft Touch Control
- LED Lamp 2x1.1W

Optional



### Mirror WH/ BK TC LTW 90

- Width - 90 cm
- Suction - 1000 m<sup>3</sup>/hr
- Touch Control
- LED Lamp 2 x 1.1W

Optional



### Classico TS SS TC 60/90

- Width - 60 cm
- Suction - 1150 m<sup>3</sup>/hr
- 60-Touch / 90 - Invisible Control
- LED Lamp 2x1.1W



### Fabio WH 60/90\*

- Width - 60/90 cm
- Suction - 1150 m<sup>3</sup>/hr
- Touch Control
- LED Lamp 2x1.5W



### Fabio WH 60/90\*

- Width - 60/90 cm
- Suction - 1150 m<sup>3</sup>/hr
- Touch Control
- LED Lamp 2x1.5W



### Vertico WH/BK 60\*

- Width - 60 cm
- Suction - 1150 m<sup>3</sup>/hr
- Touch Control
- LED Lamp 2x1.5W



### Peppy BK 45/60\*

- Width - 45/60 cm
- Suction - 1000 m<sup>3</sup>/hr
- Rotary Knob Control
- LED Lamp 1x1.1W

## DECORATIVE HOODS



- Mesh Filter

### Martini TC BK LTW 60

- Width - 60 cm
- Suction - 1000 m<sup>3</sup>/hr
- Control - Touch
- Lamp - LED2x1.1W



### Tratto Plus TC Bk LTW 60

- Width - 60 cm
- Suction - 1000 m<sup>3</sup>/hr
- Touch Control
- LED Lamp 2x1.1W




### Tratto Plus Bk LTW 60

- Width - 60 cm
- Suction - 1000 m<sup>3</sup>/hr
- Push Buttons Control
- LED Lamp 2x1.1W



### Glassy 800 BK LTW 60

- Width - 60 cm
- Suction - 800 m<sup>3</sup>/hr
- Push Buttons Control
- LED Lamp 2x1.1W



### Glassy 800 SS LTW 60

- Width - 60 cm
- Suction - 800 m<sup>3</sup>/hr
- Push Buttons Control
- LED Lamp 2x1.1W



### Tender 800 LTW 60/75/90

- Width - 60/75/90 cm
- Suction - 800 m<sup>3</sup>/hr
- Push Buttons
- CFL Lamp 2x5w



### Topaz Plus LTW 60/90

- Width - 60/90 cm
- Suction - 1000 m<sup>3</sup>/hr
- Push Button
- CFL Lamp 2x5W



### Pretty Plus BK LTW 60

- Width - 60 cm
- Suction - 1000 m<sup>3</sup>/hr
- Control - Square Push Button
- Lamp - LED Filament 2x2W



## DECORATIVE HOODS



**Eco 800 BK LTW 60**

- Width - 60 cm
- Suction - 800 m<sup>3</sup>/hr
- Push Button Control
- Tubular Lamps 1x25 W



**Eco 800 SS LTW 60**

- Width - 60 cm
- Suction - 800 m<sup>3</sup>/hr
- Push Button Control
- Tubular Lamps 1x25 W



**Conico SS CF 60**

- Width - 60 cm
- Suction - 800 m<sup>3</sup>/hr
- Push Button Control
- CFL Lamp 2x5W



**Conico SS BF 60**

- Width - 60 cm
- Suction - 800 m<sup>3</sup>/hr
- Push Button Control
- CFL Lamp 2x5W



**Hood Ruby Plus TC BK 60**

- Width - 60 cm
- Suction - 700 m<sup>3</sup>/hr
- Touch Controls
- Standard lamp



**Hood Ruby Plus TC SS 60**

- Width - 60 cm
- Suction - 700 m<sup>3</sup>/hr
- Touch Controls
- Standard lamp



**Hood Ruby Plus PB SS 60**

- Width - 60 cm
- Suction - 700 m<sup>3</sup>/hr
- Touch Controls
- Standard lamp



**Hood Ruby Plus PB BK 60**

- Width - 60 cm
- Suction - 700 m<sup>3</sup>/hr
- Touch Controls
- Standard lamp

## AUTO CLEAN HOODS



### Premiere Energy TC 90

- Wet Auto Clean Technology
- Finish: Stainless Steel
- Width: 90 cm
- Suction: 1500 m<sup>3</sup>/hr.
- Filter: Baffle
- Control: Touch
- Light: 2x1.5W LED Lamp



### Primus Energy TC HC BK 90

- Electro Thermal Auto Clean Technology
- Finish: Black
- Width : 90 cm
- Suction: 1500m<sup>3</sup>/hr.
- Filter: Baffle
- Control: Touch
- Light: 2x1.5W LED Lamp



### Premiere Energy TC 60

- Wet Auto Clean Technology
- Finish: Stainless Steel
- Width: 60 cm
- Suction: 1500 m<sup>3</sup>/hr.
- Filter: Baffle
- Control: Touch
- Light: 2x1.5W LED Lamp



### Primus Energy TC HC BK 60

- Electro Thermal Auto Clean Technology
- Finish: Black
- Width : 60 cm
- Suction: 1500m<sup>3</sup>/hr.
- Filter: Baffle
- Control: Touch
- Light: 2x1.5W LED Lamp



### Vertical Energy HC TC 90


- Electro Thermal Auto Clean Technology
- Finish: Black Glass
- Width: 90 cm
- Suction: 1200 m<sup>3</sup>/hr.
- Filter: Cassettes
- Control: Touch
- Light: 2x1.5W LED Lamp



### Classy Energy HC BF TC 90

- Electro Thermal Auto Clean Technology
- Finish: SS with Front Black Glass
- Width: 90 cm
- Suction: 1500 m<sup>3</sup>/hr.
- Filter: Baffle
- Control: Touch
- Light: 2x1.5W LED Lamp

## AUTO CLEAN HOODS



### Regal Energy HC BF SS 76

- Electro Thermal Auto Clean Technology
- Finish: Stainless Steel
- Width: 760 mm
- Suction: 1350 m3/hr.
- Filter: Baffle
- Control: Push Button
- Light: 2 x 1.5 LED lamps



### Regal Energy HC BF BK 76

- Electro Thermal Auto Clean Technology
- Black Painted
- Width: 760 mm
- Suction: 1350 m3/hr.
- Filter: Baffle
- Control: Push Button
- Light: 2 x 1.5 LED lamps



### Royale Energy HC SS 76

- Electro Thermal Auto Clean Technology
- Finish: Stainless Steel
- Width: 760 mm
- Suction: 1150 m3/hr.
- Filter: Oil Collector
- Control: Push Button
- Light: 2 x 1.5 LED lamps



### Royale Energy HC BK 76

- Electro Thermal Auto Clean Technology
- Finish: Black Painted
- Width: 760 mm
- Suction: 1150 m3/hr.
- Filter: Oil Collector
- Control: Push Button
- Light: 2 x 1.5 LED lamps



### Relish HC BK TC 76

- Electro Thermal Auto Clean Technology
- Finish: Black Painted
- Width: 760 mm
- Suction: 1150 m3/hr.
- Filter: Oil Collector
- Control: Touch
- Light: 2 x 1.5 LED lamps



### Relish HC BK PB 76

- Electro Thermal Auto Clean Technology
- Finish: Black Painted
- Width: 760 mm
- Suction: 1150 m3/hr.
- Filter: Oil Collector
- Control: Push Button
- Light: 2 x 1.5 LED lamps

## BUILT-IN OVENS

### FBIO 80L 8F



- 80 Ltr. Gross Oven Capacity
- Black Finish
- Electric Multifunction Oven
- A Class Energy efficiency
- 8 Cooking Functions
- Rotisserie
- Touch + Push / Pull Knob Control
- Digital Display
- Electronic timer
- Auto Program
- Three layers glass door
- Cool touch glass
- Removable inner Glass
- Large viewing window • 5 shelf positions
- Aluminum handle bar • Side rack support
- Enamel Interior for easy cleaning
- Oven Size (WxDxH): 594x548x594 mm
- Carcass Size(WxDxH): 560x560x575 mm

### FBIO 80L 6F



- 80 Ltr. Gross Oven Capacity
- Black Finish
- Electric Multifunction Oven
- A Class Energy efficiency
- 6 Cooking Functions
- Rotisserie
- Knob Control
- Mechanical timer
- Convection Fan
- Cooling Fan
- Rotisserie
- Three layers glass door
- Cool touch glass
- Removable inner Glass
- Large viewing window • 5 shelf positions
- Aluminum handle bar • Side rack support
- Enamel Interior for easy cleaning
- Oven Size (WxDxH): 594x548x594 mm
- Carcass Size(WxDxH): 560x560x575 mm

### FBIO 80L 4F



- 80 Ltr. Gross Oven Capacity
- Black Finish
- Electric Multifunction Oven
- A Class Energy efficiency
- 4 Cooking Functions
- Knob Control
- Mechanical timer
- Convection Fan
- Three layers glass door
- Cool touch glass
- Removable inner Glass
- Large viewing window
- 5 shelf positions
- Aluminum handle bar
- Enamel Interior for easy cleaning
- Oven Size (WxDxH): 594x548x594 mm
- Carcass Size(WxDxH): 560x560x575 mm

# BUILT-IN OVENS

## FBIO 67L 10F GLB



- 67 Ltr. Oven Capacity
- Black Finish
- Electric Multifunction Oven
- Energy Efficiency Class A - 15%
- 10 Cooking Functions
- Electronic Auto Program
- Memory Function
- Sensor Touch Control
- Digital Timer
- Cooling Fan
- Rotisserie
- Electronic Child lock
- Oven Size (WxDxH): 594x545x594 mm
- Carcass Size(WxDxH): 560x560x575 mm

## FBIO 65L12F



- Capacity: 65 L
- Finish: Mirror Glass
- 'A' Class Energy efficiency
- 12 Cooking Functions
- Rotisserie
- Electronic Child Lock
- LED Display with Digital control
- Digital Timer
- 3 layer Oven Door
- Accessories:  
2 wire shelf + 1 Drip Tray
- Oven Size(W\*D\*H): 595 x 575 x 595 mm
- Carcass Size(W\*D\*H): 560 x 575min x 600 mm

## FBIO 80L 10F GLM – With Steamer



Steamer

- Electric Multifunction Oven
- Energy efficiency Class A
- Full Black Mirror Glass Finish
- 80 Ltr. Oven Capacity
- 10 Cooking Functions
- Electronic Auto Program
- Sensor Touch + Knob Control
- Digital Timer
- Full glass inner door easy to remove
- Triple glazed door with thermo-reflecting glass
- Cooling Fan
- Rotisserie
- Cavity with Easy to Clean enamel
- Chromed side racks with anti-tilt system
- Oven Size (WxDxH) : 594 x 545 x 594 mm
- Carcass Size (WxDxH) : 560 x 560 x 575 mm

## BUILT-IN MICROWAVE OVENS

### FBIMWO 32L CGS



- Capacity: 32 L
- Finish: Stainless Steel
- Grill + Convection
- 10 Auto Cook Menus
- Defrost
- Combination Cooking
- Digital Timer
- Electronic Push Button Control
- MWO Size (L\*W\*H): 595\*480\*388 mm
- Carcass Dimension (L\*W\*H): 568\*550 min\*382 mm

### FBIMWO 32L GLB



- Capacity: 32 L
- Finish: Black
- Grill + Convection
- 10 Auto Cook Menus
- Defrost
- Combination Cooking
- Digital Timer
- Electronic Touch Control
- Child Safety Lock
- MWO Size (L\*W\*H): 595\*477\*388 mm
- Carcass Dimension (L\*W\*H): 568\*550 min\*382 mm

### FBIMWO 32L GLW



- Capacity: 32 L
- Finish: White
- Grill + Convection
- 10 Auto Cook Menus
- Defrost
- Combination Cooking
- Digital Timer
- Electronic Touch Control
- Child Safety Lock
- MWO Size (L\*W\*H): 595\*477\*388 mm
- Carcass Dimension (L\*W\*H): 568\*550 min\*382 mm

## BUILT-IN MICROWAVE OVENS

### FBIMWO 25L CGS BK



- Capacity: 25 L
- Finish: Black
- Grill + Convection
- 10 Auto Cook Menus
- Defrost
- Combination Cooking
- Digital Timer
- Electronic Touch Control
- Child Safety Lock
- MWO Size (L\*W\*H): 594\*470\*388 mm
- Carcass Dimension (L\*W\*H): 560\*550 min\*380 mm

### FBIMWO 25L CGS WH



- Capacity: 25 L
- Finish: White
- Grill + Convection
- 10 Auto Cook Menus
- Defrost
- Combination Cooking
- Digital Timer
- Electronic Control
- Child Safety Lock
- MWO Size (L\*W\*H): 594\*470\*388 mm
- Carcass Dimension (L\*W\*H): 560\*550 min\*380 mm

### FBIMWO 25L CGS



- Capacity: 25 L
- Finish: Stainless Steel
- Grill + Convection
- 10 Auto Cook Menus
- Defrost
- Combination Cooking
- Digital Timer
- Electronic Push Button Control
- MWO Size (L\*W\*H): 594\*470\*388 mm
- Carcass Dimension (L\*W\*H): 560\*550 min\*380 mm

## COOKING RANGES

### FCR 44L 4B 4FBK



- Width: 50cm
- Finish: Black
- Oven Capacity: 44 liters
- 4 Burners: 1 Large + 2 Medium + 1 Small
- Gas Grill
- Push Button Ignition for Burners and Oven
- Enamel Grid
- Enamel Interior for Easy Cleaning
- Size: 500 x 500 x 890 mm

### FCR 52L 4B BEG

- Width: 55cm
- Finish: Stainless Steel
- Oven Capacity: 52 liters
- 4 Burners: 1 Mini Triple Ring 2.5Kw + 1 Large 3Kw + 2 Medium 1.75Kw
- Gas Grill
- Auto Ignition for Burners and Oven
- Digital Timer
- Enamel Grid
- Enamel Interior for Easy Cleaning
- Size: 555 x 570 x 890 mm





## COOKING RANGES

### FCR 53L 4B CIR

- Width: 60cm
- Finish: Stainless Steel
- Oven Capacity: 53 lites
- 4 Burners: 1 Triple Ring 4Kw + 1 Large 3Kw + 2 Medium 1.75Kw
- Gas Grill
- Rotisserie
- Auto Ignition for Burners & Oven
- Digital Timer
- Enamel Grid
- Enamel Interior for Easy Cleaning
- Size: 600 x 600 x 930 mm



### FCR 114L 5B HECIR



- Width: 90cm
- Finish: Stainless Steel
- Oven Capacity: 114 liters
- 5 Burners: 1 Triple Ring 4Kw +1 Mini Triple Ring 2.5Kw + 1 Large 3Kw + 2 Medium 1.75Kw
- Gas Grill
- Rotisserie
- Auto Ignition for Burners and Oven
- Digital Timer
- Cast Iron Grid
- Enamel Interior for Easy Cleaning
- Size: 900 x 600 x 890 mm

# DISHWASHERS

## FFSD 6PR 12S-60CM FREE STANDING



Capacity  
(Place Settings)



Delay Start



Half Load



Energy Save

### FEATURES:

- 12 Place capacity
- White Finish
- Half load
- Height adjustable upper rack and foldable racks
- Power Memory
- Electronic Push button control
- Display
- Natural Drying
- 1-24 hours Delay
- Salt and rinse aid indicators
- Electronic Aqua Stop

### SPECIFICATION:

- A++/A/A (energy, cleaning, drying)
- 6 Washing Programs: Intensive, Normal, Eco, 90min, Glass and Rapid.
- Product Dimension (H\*W\*D mm): 845\*598\*600

### Washing Programs:



Intensive



Normal



Eco



90 min



Glass



Rapid

## FFSD 8PR 14S- 60CM FREE STANDING



Capacity  
(Place Settings)



Third Layer  
(Cutlery Basket)



Delay Start



Auto Wash



Dualzone Wash



Noise Level



Extra Drying



Express



Child Lock



Energy Save

### FEATURES:

- 14 Place capacity
- SS Finish
- Dual Zone Wash
- Height adjustable upper basket (after loaded) and foldable Racks
- Multifunction Three Layer Cutlery Basket
- Power Memory
- Child safety Lock
- Power wash/Extra drying/Express
- LED Display
- Natural Drying
- 1-24 hours Delay
- Electronic Push button control
- Salt and rinse aid indicators
- Electronic Aqua Stop

### SPECIFICATION:

- A+++/A/A (energy, cleaning, drying)
- 8 Washing Programs: Intensive, Normal, Eco, 90min, Glass, Rapid, Soak (Pre-Wash) and Auto Wash
- Product Dimension (H\*W\*D mm): 845\*598\*600

### Washing Programs:



Intensive



Normal



Eco



90 min



Glass



Rapid



Soak



Auto

### Options:



Power Wash



Express



Extra Drying

# DISHWASHERS

## FSID 8PR 14S-60CM SEMI INTEGRATED



### FEATURES:

- 14 Place capacity
- SS Finish
- Dual Zone Wash
- Height adjustable upper basket (after loaded) and foldable Racks
- Multifunction 3rd Layer Cutlery Basket
- Power Memory
- Child safety Lock
- Power wash/Extra drying/Express
- LED Display
- Natural Drying
- 1-24 hours Delay
- Electronic Push button control
- Salt and rinse aid indicators
- Electronic Aqua Stop

### SPECIFICATION:

- A+++/A/A (energy, cleaning, drying)
- 8 Washing Programs: Intensive, Normal, Eco, 90min, Glass, Rapid, Soak (Pre-Wash) and Auto Wash
- Product Dimension (H\*W\*D mm): 845\*598\*600

### Washing Programs:



### Options:



## FBID 8PR 14S- 60CM FULLY-INTEGRATED



### FEATURES:

- 14 Place capacity
- SS Finish Panel
- Dual Zone Wash
- Height adjustable upper basket (after loaded) and foldable Racks
- Multifunction Three-Layer Cutlery Basket
- Power Memory
- Auto Wash
- Extra Drying
- Electronic Touch control
- LED Display
- Natural Drying
- 1-24hours Delay
- Salt and rinse aid indicators
- Electronic Aqua Stop

### SPECIFICATION:

- A++/A/A (energy, cleaning, drying)
- 8 Washing Programs: Intensive, Normal, Eco, 90min, Glass, Rapid, Soak (Pre-Wash) and Auto Wash
- Product Dimension (H\*W\*D mm): 815\*598\*550

### Washing Programs:



### Options:



## BLACK STAINLESS STEEL BUILT-IN APPLIANCES

### FBIO 80L 10F BS



- 80 Ltr. Gross Oven Capacity
- A Class Energy efficiency
- Sensor touch control
- LED fully electronic display
- Digital clock with automatic cut off timer
- Auto Program
- Three layers glass door
- Cool touch glass
- Removable inner Glass
- Large viewing window
- 5 shelf positions
- Aluminum handle bar
- Enamel Interior for easy cleaning
- Side rack support
- Safety lock system
- With 10 heating methods:
- Conventional top and bottom heat
- Full surface grill /Fan Assisted grill
- Pizza/Bake/Fast cooking/Delicate cooking
- Top oven/Multi-Cooking/Defrosting

### FBIMWO 38L CGS BS



- Usable Capacity 38 L
- Fully sensor touch control
- LED fully electronic display
- Cooking duration setting
- Digital clock with automatic cut-off timer
- Door interlock (safety switch)
- Stainless steel cavity
- 1 light with 25 W
- 3 layers glass door
- Large viewing window
- Child lock system
- Microwave: Grilling, Convection,
- Microwave + Grilling, Microwave + Convection,
- Grilling + Convection
- Microwave + Grilling + Convection
- Defrost and Recipe

### FBI WD 6P TC BS



- 14 cm deep warming drawer, suitable for installation in a 60 cm high niche together with a 60 cm width steam oven, microwave Combi oven, or with a coffee machine
- Usable height approx. 10 cm
- Touch Control
- Telescopic full-depth pull-out with press + release Mechanism
- Anti slip mat
- Push-to-open-door
- Cool front
- Hot air fan system for heating crockery
- Temperatures freely adjustable from approx. 30-80 °C
- Illuminated on / off switch
- 230V, 50 Hz, 432 W
- 6 place settings or 20 plates ø 28 cm or up to 80 Espresso cups or 40 Cappuccino cups (depending on size and style) Max. load 20 kg


# BUILT-IN INDUCTION HOBS

NEW  
BY FBH



## FBH 32 BK Induction Hob

- Width: 30 cm
- Finish: Black glass
- Induction: 2 Zone
- Controls: Touch
- Min-max pan size (mm): 110-225
- Power (W): 3400
- Voltage (V): 230
- Frequency (HZ): 50/60
- Product dimensions LxW (mm): 320x520
- Carcass dimensions LxW (mm): 290x495




## FBH 64 BK Induction Hob

- Width: 60 cm
- Finish: Black glass
- Induction: 4 Zone
- Controls: Touch
- Min-max pan size (mm): 110-265
- Power (W): 6750
- Voltage (V): 230
- Frequency (HZ): 50/60
- Product dimensions LxW (mm): 580x520
- Carcass dimensions LxW (mm): 560x490



## FBH 83 BK Induction Hob

- Width: 80 cm
- Finish: Black glass
- Induction: Zone 3
- Controls: Touch
- Min-max pan size (mm): 110-265
- Power (W): 6400
- Voltage (V): 230
- Frequency (HZ): 50/60
- Product dimensions LxW (mm): 780x420
- Carcass dimensions LxW (mm): 760x380



## FBH 84 BK Induction Hob

- Width: 80 cm
- Finish: Black glass
- Induction: 4 Zone
- Controls: Touch
- Min-max pan size (mm): 110-265
- Power (W): 7100
- Voltage (V): 230
- Frequency (HZ): 50/60
- Product dimensions LxW (mm): 780x520
- Carcass dimensions LxW (mm): 750x490

# EUROPA DIGITAL TIMER HOBS

NEW  
BY FRANK

## DIGITAL TIMER



## FULL BRASS BURNER



## 5KW MULTI FLAME BURNER



## CAST IRON PAN SUPPORT



## TOUGHENED BLACK GLASS



## FLAME FAILURE DEVICE



### Europa 603DT BR CIS BK

- Width 60 cm
- Finish : Toughened Black Glass
- Burner : Brass Burner
- 3 Burner - 1 x 5Kw Multi Flame + 1 x 3Kw Large + 1 x 1Kw Small
- Ignition – In-built Auto Electric
- Cast Iron Pan Support
- Digital Timer Auto Gas Cut Off
- Kitchen Time
- Flame Failure Device
- Product Size (LxWxH) : 595\*510\*130
- Granite Cut mm(LxWxH) : 564\*483\*50



### Europa 763DT BR CIS BK I

- Width 76 cm
- Finish : Toughened Black Glass
- Burner : Brass Burner
- 3 Burner - 1 x 5Kw Multi Flame + 1 x 4Kw Triple Ring + 1x1.75Kw Medium
- Ignition – In-built Auto Electric
- Cast Iron Pan Support
- Digital Timer Auto Gas Cut Off
- Kitchen Time
- Flame Failure Device
- Product Size (LxWxH) : 760\*510\*130
- Granite Cut mm(LxWxH) : 640\*480\*50



### Europa 764DT BR CIS BK

- Width 76 cm
- Finish : Toughened Black Glass
- Burner : Brass Burner
- 4 Burner - 1 x 5Kw Multi Flame + 1 x 4Kw Triple Ring + 1x1.75Kw Medium + 1 x 1Kw Small
- Ignition – In-built Auto Electric
- Cast Iron Pan Support
- Digital Timer Auto Gas Cut Off
- Kitchen Time
- Flame Failure Device
- Product Size (LxWxH) : 760\*510\*130
- Granite Cut mm(LxWxH) : 640\*480\*50



### Europa 905DT BR CIS BK

- Width 76 cm
- Finish : Toughened Black Glass
- Burner : Brass Burner
- 5 Burner - 1 x 5Kw Multi Flame + 1 x 3Kw Large + 2 x 1.75Kw Medium + 1 x 1Kw Small
- Ignition – In-built Auto Electric
- Cast Iron Pan Support
- Digital Timer Auto Gas Cut Off
- Kitchen Time
- Flame Failure Device
- Product Size (LxWxH) : 860\*510\*130
- Granite Cut mm(LxWxH) : 827\*485\*50

# NEXUS SERIES HOBBS

**NEW**  
BY FRANK

## 3D FLAME TECHNOLOGY



## 1 X 3KW TRIPLE RING




## FULL BRASS BURNER



## CAST IRON PAN SUPPORT



## TOUGHENED BLACK GLASS



## METALLIC KNOB



### Nexus HT603 CRS BR CI

- Width : 60 cm
- Finish : Toughened Black Glass
- Burner : Full Brass
- 3 Burner : 1 x 3Kw Triple Ring +  
2 x 1.7Kw Lotus Double Ring
- Ignition : In-built Auto Electric 1.5V Dc
- Pan Support : Cast Iron
- Product Size (LxWxH) : 595\*525\*130
- Granite Cut mm(LxWxH) : 555\*475\*50



### Nexus HT604 CRS BR CI

- Width : 60 cm
- Finish : Toughened Black Glass
- Burner : Full Brass
- 4 Burner : 2 x 3Kw Triple Ring +  
2 x 1.7Kw Lotus Double Ring
- Ignition : In-built Auto Electric 1.5V Dc
- Pan Support : Cast Iron
- Product Size (LxWxH) : 595\*525\*130
- Granite Cut mm(LxWxH) : 555\*475\*50



### Nexus HT783 CRS BR CI

- Width : 78 cm
- Finish : Toughened Black Glass
- Burner : Full Brass
- 3 Burner : 2 x 3Kw Triple Ring +  
1 x 1.7Kw Lotus Double Ring
- Ignition : In-built Auto Electric 1.5V Dc
- Pan Support : Cast Iron
- Product Size (LxWxH) : 780\*525\*130
- Granite Cut mm(LxWxH) : 685\*470\*50



### Nexus HT784 CRS BR CI

- Width : 78 cm
- Finish : Toughened Black Glass
- Burner : Full Brass
- 3 Burner : 2 x 3Kw Triple Ring +  
2 x 1.7Kw Lotus Double Ring
- Ignition : In-built Auto Electric 1.5V Dc
- Pan Support : Cast Iron
- Product Size (LxWxH) : 780\*525\*130
- Granite Cut mm(LxWxH) : 685\*470\*50



## Nexus HT803 CRS BR CI

- Width :80 cm
- Finish : Toughened Black Glass
- Burner : Full Brass
- 3 Burner : 2 x 3Kw Triple Ring +  
1 x 1.7Kw Lotus Double Ring
- Ignition : In-built Auto Electric 1.5V Dc
- Pan Support : Cast Iron
- Product Size (LxWxH) : 800\*380\*130
- Granite Cut mm(LxWxH) : 705\*325\*50



## Nexus HT904 CRS BR CI

- Width :90 cm
- Finish : Toughened Black Glass
- Burner : Full Brass
- 4 Burner : 2 x 3Kw Triple Ring +  
2 x 1.7Kw Lotus Double Ring
- Ignition : In-built Auto Electric 1.5V Dc
- Pan Support : Cast Iron
- Product Size (LxWxH) : 900\*525\*130
- Granite Cut mm(LxWxH) : 825\*475\*50



## Nexus HT905 CRS BR CI

- Width :90 cm
- Finish : Toughened Black Glass
- Burner : Full Brass
- 5 Burner : 3 x 3Kw Triple Ring +  
2 x 1.7Kw Lotus Double Ring
- Ignition : In-built Auto Electric 1.5V Dc
- Pan Support : Cast Iron
- Product Size (LxWxH) : 900\*525\*130
- Granite Cut mm(LxWxH) : 825\*475\*50



## DUAL TORCH BURNER HOBS

### SSR 653 CRS XS BR CI



- Width- 65cm
- 1 Multi Flame Dual Burner + 2 Medium Lotus Burner
- Cast Iron Support
- Granite Cut: 595\*470\*50mm

### SSR 754 CRS XS BR CI



- Width- 75cm
- 2 Multi Flame Dual Burner + 2 Medium Lotus Burner
- Cast Iron Pan Support
- Granite Cut: 670\*470\*50mm

### SSR 905 CRS XS BR CI



- Width- 90cm
- 2 Multi Flame Dual Burner + 2 Medium Lotus Burner + 1 Small Lotus Burner
- Cast Iron Pan Support
- Granite Cut: 855\*470\*50mm

### HGG 653 CRS BR CI HT



- Width- 65cm
- 1 Multi Flame Dual Burner + 2 Medium Lotus Burner
- Cast Iron Pan Support
- Granite Cut: 595\*470\*50mm

### HGG 754 CRS BR CI HT



- Width- 75cm
- 2 Multi Flame Dual Burner + 2 Medium Lotus Burner
- Cast Iron Pan Support
- Granite Cut: 670\*470\*50mm

### HGG 905 CRS BR CI HT



- Width- 90cm
- 2 Multi Flame Dual Burner + 2 Medium Lotus Burner + 1 Small Lotus Burner
- Cast Iron Pan Support
- Granite Cut: 855\*470\*50mm

### HGG 653 CRS BR CI HT WH



- Width- 65cm
- 1 Multi Flame Dual Burner + 2 Medium Lotus Burner
- Cast Iron Pan Support
- Granite Cut: 595\*470\*50mm

### HGG 754 CRS BR CI HT WH



- Width- 75cm
- 2 Multi Flame Dual Burner + 2 Medium Lotus Burner
- Cast Iron Pan Support
- Granite Cut: 670\*470\*50mm

### HGG 905 CRS BR CI HT WH



- Width- 90cm
- 2 Multi Flame Dual Burner + 2 Medium Lotus Burner + 1 Small Lotus Burner
- Cast Iron Pan Support
- Granite Cut: 855\*470\*50mm

## Multi Flame Brass Burners. Italian Flair For Indian Cooking

Dual Torch Burner



Lotus Burner



Multi flame control Knob



- Brass burners with triple ring flame
- Dual Torch Burners exclusively developed for FABER by SABAF - Italy
- Multi flame control
- Dual Torch Burners: 300 watts to 3.6 kw power
- Lotus Burners: 900 watts to 2.5 kw power
- Highest efficiencies: up to -70% efficiency ( Low gas consumption )
- Uniform spread of flame: user friendly for round bottom vessel
- Burners suited for cooking of Rotis and Pappads
- Highest safety standards as per European Norms

## BUILT-IN HOBS

### GB 723 MT 2TR



- Width- 72cm
- 3 Burners
- 2 Mini Triple Ring Burner + 1 Medium Burner
- Cast Iron Finish Pan Support
- Granite Cut: 575\*480\*50mm

### GB 723 MT



- Width- 72cm
- 3 Burners
- 1 Mini Triple Ring Burner + 2 Medium Burner
- Cast Iron Finish Pan Support
- Granite Cut: 575\*480\*50mm

### GB 724 MT



- Width- 72cm
- 4 Burners
- 2 Mini Triple Ring Burner + 2 Medium Burner
- Cast Iron Finish Pan Support
- Granite Cut: 575\*480\*50mm

### Fusion 723 CRX BR CI



- Width- 72cm
- 3 Burners
- 3 Burners (1 Triple Ring + 2 Double Ring Burner)
- Cast Iron Finish Pan Support
- Granite Cut: 695\*485\*50mm

### Fusion 724 CRX BR CI




- Width- 72cm
- 4 Burners (2 Triple Ring + 2 Double Ring Burner)
- Cast Iron Finish Pan Support
- Granite Cut: 695\*485\*50mm

### MDR 603 MTX



- Width- 60cm
- 3 Burners
- 1 Big & 1 Mini Triple Ring Burner + 1 Medium Burner
- Enameled Pan Support
- Granite Cut: 575\*480\*50mm

### MDR 700 MTX



- Width- 72 cm
- 4 Burners
- 1 Big & 1 Mini Triple Ring + 1 large & 1 Medium Burner
- Enameled Pan Support
- Granite Cut: 695\*475\*50mm

### MDR 724 MTX



- Width- 72 cm
- 4 Burners
- 1 Big & 1 Mini Triple Ring Burner + 2 Medium Burner
- Enameled Pan Support
- Granite Cut: 685\*465\*50mm

### MDR 95 MTX



- Width- 90 cm
- 5 Burners
- 1 Big & 1 Mini Triple Ring + 2 Medium + 1 Small Burner
- Enameled Pan Support
- Granite Cut: 875\*475\*50mm

### FH 40 AMD



- Width- 60 cm
- 4 Burners
- 1 Mini Triple Ring + 2 Medium + 1 Small Burner
- Enameled Pan Support
- Granite Cut: 565\*475\*50mm

### FH 650 MT



- Width- 65cm
- 4 Burners
- 1 Mini Triple Ring Burner + 2 Medium + 1 Small Burner
- Enameled Pan Support
- Granite Cut: 595\*475\*50mm

## HOB COOKTOP HYBRIDS

### HTG 905 CRS EBR CI



- Width- 90cm
- 5 Burners (3 Triple Ring + 2 Double Ring Burner)
- Cast Iron Finish Pan Support
- Auto Ignitions
- Granite Cut: 855\*470\*50mm

### HTG 754 CRS EBR CI



- Width- 75cm
  - 4 Burners (2 Triple Ring + 2 Double Ring Burner)
  - Cast Iron Finish Pan Support
  - Auto Ignitions
  - Granite Cut: 670\*470\*50mm
- Also available with non auto ignition

### HTG 753 CRS EBR CI




- Width- 75cm
  - 3 Burners (1 Triple Ring + 2 Double Ring Burner)
  - Cast Iron Finish Pan Support
  - Auto Ignitions
  - Granite Cut: 670\*470\*50mm
- Also available with non auto ignition

### HTG 754 CRS EBR CI WH



- Width- 75cm
- 4 Burners (2 Triple Ring + 2 Double Ring Burner)
- Cast Iron Finish Pan Support
- Auto Ignitions
- Granite Cut: 670\*470\*50mm

### HTG 753 CRS EBR CI WH



- Width- 75cm
- 3 Burners (1 Triple Ring + 2 Double Ring Burner)
- Cast Iron Finish Pan Support
- Auto Ignitions
- Granite Cut: 670\*470\*50mm

### HTG 654 CRS EBR CI



- Width- 65cm
- 4 Burners (2 Triple Ring + 2 Double Ring Burner)
- Cast Iron Finish Pan Support
- Auto Ignitions
- Granite Cut: 595\*470\*50mm

### HTG 653 CRS EBR CI



- Width- 65cm
- 3 Burners (1 Triple Ring + 2 Double Ring Burner)
- Cast Iron Finish Pan Support
- Auto Ignitions
- Granite Cut: 595\*470\*50mm

### HTG 653 CRS EBR CI WH



- Width- 65cm
- 3 Burners (1 Triple Ring + 2 Double Ring Burner)
- Cast Iron Finish Pan Support
- Auto Ignitions
- Granite Cut: 595\*470\*50mm

### HCT 754 SR CRS LBR CI



- Width- 75cm
- 4 Burners (2 Medium + 2 Small Lotus Burner)
- Cast Iron Finish Pan Support
- Auto Ignition
- Granite Cut: 670\*470\*50mm

### HCT 753 SR CRS LBR CI



- Width- 75cm
- 3 Burner (2 Medium + 1 Small Lotus Burner)
- Cast Iron Finish Pan Support
- Auto Ignition
- Granite Cut: 670\*470\*50mm

### HCT 654 CRR LBK EI AI



- Width- 65cm
- 4 Lotus Black Burners
- 2 Medium Lotus Burners + 2 Small Lotus Burner
- Enamel Pan Support
- Granite Cut: 595\*470\*50mm

### HCT 653 CRR LBK EI AI



- Width- 65cm
- 3 Lotus Black Burners
- 2 Medium Lotus Burner + 1 Small Lotus Burner
- Enamel Pan Support
- Granite Cut: 595\*470\*50mm

## HIGH PERFORMANCE, AESTHETICS AND SAFETY BURNERS



TRIPLE RING BURNER



DOUBLE RING BURNER



LOTUS BRASS BURNER



KNOB PROTECTOR PAN SUPPORT



GLASS EDGE PROTECTOR



LOTUS BLACK BURNER



ANTI-LEAK  
TECHNOLOGY



5 YEAR WARRANTY  
EUROPEAN VALVE



5 YEAR WARRANTY  
BURNERS\*



QUALITY ASSURANCE

### NOTE:

- ☑ All Faber Hob-Cooktop Hybrids are with 1.5V DC Battery
- ☑ All Glass Hob-Top Hybrids are with Tempered Black and White Glass
- ☑ All Dimensions (LxWxH) are in mm


## PREMIUM COOKTOP RANGE: SUPREME/ONYX/SUPER/JUMBO SS

### SUPREME PLUS XL



- Brush Steel Finish Frame
- 4 Burner Brass: 1 Small+ 2 Medium + 1 Jumbo Burner
- Heat Resistant Euro Coating Square Pan Support
- Removable Square Drip Tray
- Size (LxWxH): 890x360x55mm
- Available in Auto Ignition Also

### ONYX 4BB BK CI



- Black Powder Coated Frame
- 4 Brass Burner:
- Diamond Coated Pan Support
- Diamond Coated Drip Tray
- Size(LxWxH): 635x500x50 mm

### JUMBO 4BB SS



- Stainless Steel Finish Frame
- 4 Brass Burner:
- 1 Small + 2 Medium + 1 Jumbo
- Powder Coated Round Pan Support
- Double Round Drip Tray
- Size (LxWxH): 635x500x55 mm

### SUPREME PLUS 4BB AI/4BB



- Brush Steel Finish Frame
- 4 Burner Brass: 1 Small +2 Medium + 1 Jumbo Burner
- Heat Resistant Euro Coating Square Pan Support
- Removable Square Drip Tray
- Auto Ignition: Push & Hold/ Non AI
- Size (LxWxH): 635x500x55mm

### ONYX 3BB BK CI



- Black Powder Coated Frame
- 3 Brass Burner:
- Diamond Coated Pan Support
- Diamond Coated Drip Tray
- Size(LxWxH): 770x380x50 mm

### JUMBO 3BB SS



- Stainless Steel Finish Frame
- 3 Brass Burner:
- 1 Small +1 Medium + 1 Jumbo
- Powder Coated Round Pan Support
- Double Round Drip Tray
- Size (LxWxH): 770x380x55 mm

### SUPREME PLUS 3BB A/3BB



- Brush Steel Finish Frame
- 3 Burner Brass: 1 Small+1 Medium + 1 Jumbo Burner
- Heat Resistant Euro Coating Square Pan Support
- Removable Square Drip Tray
- Auto Ignition: Push & Hold/ Non AI
- Size (LxWxH): 770x380x55mm

### SUPER 4BB



- Black Powder Coated Frame
- 4 Brass Burner: 1 Small + 1 Medium + 2 Large Burner
- Euro Coating Round Pan Support
- Fixed Round Drip Tray
- Size(LxWxH): 585x500x55 mm

### CURVO MIRROR 4BB SS



- Brush Steel Finish Frame
- 4 Brass Burner: 1 Small + 2 Medium + 1 Jumbo Burner
- Heat Resistant Euro Coating Round Pan Support
- Removable Round Drip Tray
- Size(LxWxH): 630x510x55 mm

### SUPER 3BB



- Black Powder Coated Frame
- 3 Brass Burner: 1 Medium + 2 Large Burner
- Euro Coating Round Pan Support
- Fixed Round Drip Tray
- Size(LxWxH): 690x380x55 mm

### CURVO MIRROR 3BB SS



- Brush Steel Finish Frame
- 3 Brass Burner: 1 Small + 1 Medium + 1 Jumbo Burner
- Heat Resistant Euro Coating Round Pan Support
- Removable Round Drip Tray
- Size(LxWxH): 770x370x55 mm

## COOKTOPS: JUMBO BK/ SHINE PLUS /SPLENDOR/ GRAND

### JUMBO 4BB BK



- Black Powder Coated Frame
- 4 Brass Burner: 1 Small + 2 Medium + 1 Jumbo
- Powder Coated Round Pan Support
- Double Round Drip Tray
- Size (LxWxH): 635x500x55 mm
- Also Available in Auto Ignition Push Button

### SPLENDOR 4BB SS AI



- Brush Steel Finish Frame
- 4 Brass Burner: 1 Small + 2 Medium + 1 Large
- Auto Ignition Push Button
- Powder Coating Round Pan Support
- Fixed Round Drip Tray
- Size(LxWxH): 585x500x55 mm

### SPLENDOR 4BB BK



- Black Powder Coated Frame
- 4 Brass Burner: 1 Small + 2 Medium + 1 Large
- Auto Ignition Push Button
- Powder Coating Round Pan Support
- Fixed Round Drip Tray
- Size(LxWxH): 585x500x55 mm

### JUMBO 3BB BK



- Black Powder Coated Frame
- 3 Brass Burner: 1 Small + 1 Medium + 1 Jumbo
- Powder Coated Round Pan Support
- Double Round Drip Tray
- Size (LxWxH): 770x360x55 mm
- Also Available in Auto Ignition Push Button

### SPLENDOR 3BB SS AI



- Brush Steel Finish Frame
- 3 Brass Burner: 1 Small + 1 Medium + 1 Large
- Auto Ignition Push Button
- Powder Coating Round Pan Support
- Fixed Round Drip Tray
- Size(LxWxH): 690x360x55 mm

### SPLENDOR 3BB BK



- Black Powder Coated Frame
- 3 Brass Burner: 1 Small + 1 Medium + 1 Large
- Auto Ignition Push Button
- Powder Coating Round Pan Support
- Fixed Round Drip Tray
- Size(LxWxH): 690x360x55 mm

### SHINE PLUS 4BB BK



- Black Powder Coated Frame
- 4 Brass Burner: 2 Medium + 2 Small
- Powder Coating Round Pan Support
- Fixed Round Drip Tray
- Size (LxWxH): 585x500x55mm

### SPLENDOR 2BB BK



- Black Powder Coated Frame
- 2 Brass Burner: 1 Medium + 1 Large
- Auto Ignition Push Button
- Powder Coating Round Pan Support
- Fixed Round Drip Tray
- Size(LxWxH): 600x360x55 mm

### GRAND 4BB BK



- Black Powder Coated Frame
- 4 Brass Burner: 2 Small + 2 Medium
- Powder Coating Round Pan Support
- Fixed Round Drip Tray
- Size(LxWxH): 585x500x55 mm

### SHINE PLUS 3BB BK



- Black Powder Coated Frame
- 3 Brass Burner: 2 Medium + 1 Small
- Powder Coating Round Pan Support
- Fixed Round Drip Tray
- Size (LxWxH): 690x360x55mm

### SHINE PLUS 2BB BK



- Black Powder Coated Frame
- 2 Brass Burner: 1 Medium + 1 Small
- Powder Coating Round Pan Support
- Fixed Round Drip Tray
- Size (LxWxH): 600x290x55mm

### GRAND 3BB BK



- Black Powder Coated Frame
- 3 Brass Burner: 1 Small + 2 Medium
- Powder Coating Round Pan Support
- Fixed Round Drip Tray
- Size(LxWxH): 690x360x55 mm

## COUNTER TOP RO WATER PURIFIER



**COPPERGUARD**  
WATER PURIFIER

INDIA  
**WATER  
QUALITY**<sup>TM</sup>  
ASSOCIATION  
GOLD MEMBER



MODEL NAME	ALPHA	ALTROZ
FILTRATION DETAILS	RO+UV+UF+MAT	RO+UV+UF+MAT+Mineral Filter
Storage Tank Gross Volume	10 Liters	10 Liters
NO OF FILTRATION	8 STAGE	9 STAGE
SEDIMENT-1	✓	✓
SEDIMENT-2	✓	✓
PRE CARBON	✓	✓
RO MEMBRANE [MADE IN USA]	✓	✓ (Heavy Duty)
POST CARBON	✓	✓
MAT* FILTER	✓ (Inside Post Carbon)	✓ (Inside Post Carbon)
MINERAL FILTER	✗	✓
UF Membrane	✓	✓
UV FILTER	✓	✓
TDS# FILTRATION LIMIT	2500*PPM	3000*PPM
COPPER GUARD	✓	✓
WATER LEVEL INDICATOR	✓	✓

# COUNTER TOP RO WATER PURIFIER



**COPPERGUARD**  
WATER PURIFIER

INDIA  
**WATER QUALITY**  
ASSOCIATION™  
GOLD MEMBER



MODEL NAME	ATOM	FOTON
FILTRATION DETAILS	RO + UF + MAT	RO + UV + UF + MAT
STORAGE TANK GROSS VOLUME	9 Liters	9 Liters
NO OF FILTRATION	7 STAGES	8 STAGES
SEDIMENT-1	✓	✓
SEDIMENT-2	✓	✓
PRE CARBON	✓	✓
RO MEMBRANE [MADE IN USA]	✓	✓
POST CARBON	✓	✓
MAT* FILTER	✓ (Inside Post Carbon)	✓ (Inside Post Carbon)
MINERAL Filter	✗	✗
UF MEMBRANCE	✓	✓
UV FILTER	✗	✓
TDS# FILTRATION LIMIT	2500*PPM	2500*PPM
COPPER GUARD	✓	✓
Tank Full Light Blue	✓	✓
Power On/ Off Red	✓	✓
Purification On/Off Green	✓	✓

\*MAT: MINERAL ADDITION TECHNOLOGY #TDS: TOTAL DISSOLVED SOLIDS




# RO UTS ELECTRIC WATER PURIFIER SYSTEM



FABER UTS RO WATER PURIFIER		
	SPECIFICATION	
GALLONS PER DAY		75 GPD
MODEL NAME/ NUMBER		FWP UTS PT+
PERFORMANCE CLAIMS	MEETING INDIAN STANDARDS IS:16240 (POINT OF USE RO PURIFIER), IS:14543 (PACKAGED DRINKING WATER STD.) FOR ALL PHYSICAL, CHEMICAL & MICROBIAL CONTAMINATIONS	IS : 16240 IS: 14543
TEMPERATURE CLASS	TROPICAL	YES
AMBIENT CONDITIONS	5 - 45°C	YES
OPERATING VOLTAGE (W/ SMPS)	160 - 260V, 50 HZ	YES
POWER CORD/ PLUG	3 PIN, 6 AMP, 2 METERS (IS : 1293)	YES
IN-BUILT VOLTAGE STABILISER	ADAPTOR/ SMPS : 24VOLTS	YES
FILTRATION SYSTEM	SPECIFICATION	
WATER INPUT SOURCE / % REDUCTION	ALL TYPES OF WATER - BOREWELL, SALTY WATER - TDS REDUCTION 95 %	YES
MAX FEED WATER TDS		2500 PPM
FILTRATION CAPACITY		> 12 LPH@25°C, 20 PSI, TDS 750 PPM
INLET PRESSURE	4-120 PSI	YES
PH RANGE	6.5-8.5	YES
SALT REJECTION OF TDS	90 -95%	YES
RECOVERY	≥ 25%	YES
WATER STORAGE CAPACITY	TANK	<b>15 Liters NSF Approved Tank</b>
RO BOOSTER PUMP		1.6 LPM (A0&0)
FILTER & HOUSING MATERIAL	BACTEROSTATIC	YES
TECHNOLOGY		
STAGES OF PURIFICATION		5 STAGES
PRE-FILTER	YES (11"), 20 MICRON , STRING FILTER	YES
SEDIMENT PLUS FILTER	YES (11"), 5 MICRON, PP SPUN	YES
RO MEMBRANE	TFC RO MEMBRANE (75 GPD DOW)	75 GPD DOW , BW- USA MADE
PRE- CARBON FILTER	YES (11"), GAC	YES
POST- CARBON (ADDED MINERALS)	YES (11"), GAC	YES

# CONTACT US

## AUTHORISED DEALER



Get FABER Authorised Installation & Service  
for Best Quality & Performance



**FRANKE FABER INDIA PRIVATE LIMITED**

Regd. Office and Manufacturing Plant:  
1086/1/2, Nagar Road, Sanaswadi, Tal. Shirur, Pune - 412208, Maharashtra, India.

Features and specifications are subject to change without prior notice.  
Pictorial representation may not be identical to actual product